

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	526	713/156.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:22
S2	83	(store stores storing save saves saving write writes writing) near5 (certificate\$ near3 (address\$ locat\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 11:54
S3	13	((store stores storing save saves saving write writes writing) near5 (certificate\$ near3 (address\$ locat\$))) same (string file\$name\$ name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:01
S4	2	"6249873".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 15:01
S6	28	((regist\$ near3 authorit\$) same (certificat\$ near3 authorit\$)) and ((address addresses addressing addressable) near3 (database\$ directory storage\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 19:11
S7	28	((regist\$ near3 authorit\$) same (certificat\$ near3 authorit\$)) and ((address addresses addressing addressable) near3 (database\$ directory storage\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 19:12
S8	19	S7 and (certificate near5 ((stored stores storing saved save saves) or (directory data\$base)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 19:12
S9	4	((obtain\$ access\$ extract\$ use uses utiliz\$) near5 (certificat\$ near5 (address addresses location))) and ((generat\$ creat\$ make makes calculat\$ comput\$) near3 ((string strings identifier\$ variable\$) same (address addresses location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:30

S10	9	((obtain\$ access\$ extract\$ use uses utiliz\$) near5 (certificat\$ near5 (address addresses location))) and ((generat\$ creat\$ make makes calculat\$ comput\$) near6 ((string strings identifier\$ variable\$) same (address addresses location)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:31
S11	5	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:04
S12	293	((store stores storing save saving saves allocat\$) near2 (certificat\$)) near4 (identifier string id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:06
S13	5	S12 and ((obtain\$ get gets getting retriev\$) near3 ((address addressing addresses location\$) near5 certificat\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:38
S14	5	S12 and ((obtain\$ get gets getting retriev\$) near3 ((address addressing addresses location\$) near5 (database directory certificat\$)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:38